



Paquete de baterías ProCORE 18 V 8.0 Ah AS

Batería de iones de litio ProCORE con celdas Highpower, indicador del nivel de carga y «Electronic Cell Protection» (ECP). ECP protege la batería frente a sobrecarga, sobrecalentamiento y descarga total. La tecnología COOLPACK 2.0 proporciona una vida útil de la batería un 135 % superior en comparación con las baterías sin tecnología COOLPACK y, por tanto, permite tiempos de funcionamiento más largos. Compatible con todos los equipos a batería de 18 V con alojamiento para la batería AMPShare o Bosch Professional de 18 V.

191,04 € P.V.P. sin I.V.A.

N.º pedido: 9 26 04 342 02 0

Datos técnicos

DATOS GENERALES

Tensión

18 V

Capacidad

8 Ah

Peso

0,95 kg

Adaptable para las siguientes máquinas

Taladro atornillador con acumulador

- > ASCM 18-4 QMP AS Set 5 Ah
- > ASCM 18-4 QM AS Metal Advanced Set
- > ASCM 18-4 QM AS Metal Advanced Top Set
- > ASCM 18-4 QM AS Universal-lean-top Set
- > ASB 18 Q AS Set 5 Ah
- > ASCM 18-4 QM AS Set 5 Ah
- > ASCM 18 QSW AS Set 5 Ah
- > ABS 18 Q AS Set 5 Ah
- > ASCM 18-4 QMP AS
- > ASB 18 Q AS
- > ASCM 18-4 QM AS



- > ASCM 18 QSW AS
- > ABS 18 Q AS

Llave de impacto a batería

- | | | |
|---|---|---------------------------------|
| > ASCD 18-300 W2 AS
Impact-tapping-top Set | > ASCD 18-300 W2 AS
Impact-tapping Set | > ASCD 18-200 W4 AS Set
5 Ah |
| > ASCD 18-300 W2 AS
Ready-to-use Set | > ASCD 18-1000 W34 AS
Set 8 Ah ProCORE | > ASCD 18-300 W2 AS Set
5 Ah |
| > ASCD 18-300 W2 AS
Ready to-use-top Set | | > ASCD 18-1000 W34 AS |
| | | > ASCD 18-200 W4 AS |

Amoladora angular (Premium)

- | | | |
|--------------------------------------|--|--|
| > CCG 18-125-12 PD AS | > CCG 18-125-12 PD-SEC
Set 8Ah ProCORE AS | > CCG 18-115-12 PD-SEC
AS Set ProCore |
| > CCG 18-115-12 AS | > CCG 18-125-12 PD-SEC
AS | > CCG 18-115-12 PD-SEC
AS |
| > CCG 18-125-12 PD AS
Set ProCore | | |

Biselado

- | | | |
|--|--|----------------------|
| > Set básico para biselado
AKFH 18-5 AS | baterías 8 Ah ProCore | batería 8 Ah ProCore |
| > Set básico para biselado
AKFH 18-5 AS con 2 | > Set básico para biselado
AKFH 18-5 AS con 1 | > AKFH 18-5 AS |

Rectificadora recta



FEIN

> AGSZ 18-280 LBL AS

> AGSZ 18-90 LBL AS

> AGSZ 18-280 BL AS

Sierra de cinta sin cable

> ABAS 18-63 AS Set 2 x 8

Ah

> ABAS 18-63 AS

Sierra circular sin cable

> F-IRON Cut 57 AS Set 2 x

8 Ah

> F-IRON Cut 57 AS

Amoladora angular (Universal)

> CCG 18-125-7 AS

> CCG 18-125-15 AS

Taladro percutor a batería

> ABH 18-26 AS Set 5 Ah

> ABH 18-26 AS